


W082149A

WORKPRO

OPERATOR'S MANUAL

20" 5-DRAWER ROLLING TOOL CHEST AND TOOL STORAGE CABINET



USE CAUTION
For your safety



INSTRUCTION
MANUAL
Read and understand



EYE PROTECTION
Must be worn



PROTECTIVE GLOVES
Must be worn when
assembly



CAUTION: Read and follow all Safety Rules and Operating instructions before first use of this product.
NOTE: Ensure all components are present. If any components are missing, do not proceed with assembly. Please send an email to service@greatstartools.com or call 877- 876-7562.

SAVE THIS MANUAL FOR FUTURE REFERENCE



Distributed by:
Hangzhou GreatStar Industrial Co., Ltd.
No.35 Jiuquan Road, Shangcheng District,
Hangzhou 310019, China
www.greatstartools.com
MADE IN CHINA

TABLE OF CONTENTS

Safety Information -----	2
Package Contents -----	3
Assembly -----	4-7
Cleaning and Maintenance -----	8
Customer Service -----	8

FOR YOUR SAFETY: CAREFULLY READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USE.

SAFETY INFORMATION

GENERAL SAFETY INFORMATION

To reduce the risk of serious injury, read and follow the safety instructions below before assembling and using this product.

1. This product is intended for indoor use only.
2. Do not pull this unit, push it when moving.
3. Use the brakes when this product is not being moved. This prevents the product from rolling.
4. Secure this product properly before moving it with a forklift.
5. Do not tow the product with power equipment.
6. Do not alter this product in any manner. For example, do not weld external lock bars or attach electrical equipment.
7. When locking the chest, close the drawers completely in order for the rear lock bars to work properly.



CAUTION: Keep the product on level surfaces. The product may become unstable and tip if stored or moved on an unlevel surface, which may cause personal injury or product damage.



CAUTION: Lock the drawers before moving this product. The drawers could come open and make the product unstable and tip, which may cause personal or product damage.



CAUTION: Be careful when closing the cover. Remove hands before the cover closes completely to prevent personal injury.



CAUTION: Do not attach or mount this product to a vehicle. This may cause personal injury or product damage. Mounting this product to any vehicle in any manner will void warranty.



CAUTION: Keep children and bystanders away while loading, unloading and moving the product.



CAUTION: Do not stand or step on this product. You may fall which may cause personal injury.




CAUTION: Do not exceed the maximum drawer weight, or total product weight, including contents. Always balance the loads to avoid tipping. Place the heavier weights on the bottom drawers when possible.



CAUTION: Be careful when opening more than one drawer. The product may become unstable and tip, which may cause personal injury or product damage.


PACKAGE CONTENTS

Ensure all components are present. If any components are missing, do not proceed with assembly. Please send an email to service@greatstartools.com or call 877-876-7562.




PART	DESCRIPTION	QUANTITY
A	Chest	1
B	Locking bar	1
C	Key	2
D	Cabinet	1
E	Tool tray	1
F	Right side panel	1
G	Swivel caster	2
H	Swivel caster with brake	2
I	Cabinet handle	1
J	L Angled Hook	5
K	Straight Hook	3
L	Chest Mat	1
M	Drawer Mat	5
AA	M6x16mm Bolt	6+1(Spare)
BB	Washer	6+1(Spare)

TOOLS INCLUDED



10mm and 13mm
Wrench

TOOLS (NOT INCLUDED)



PH2 Screwdriver

ASSEMBLY




NOTE:

Two people are recommended for assembly.

STEP 1: REMOVE THE SCREWS AND WASHERS ON BOTTOM

- Place on a flat, level, hard and smooth surface capable of safely supporting a chest and cabinet.
- Carefully put the cabinet (D) to its left side position as the below picture shows.
- Remove and discard four screws and washers with a PH2 screwdriver on the bottom of cabinet.



DISCARDED PARTS:



X4




X4



STEP 2: REMOVE THE RIGHT SIDE PANEL

- Remove four screws with a PH2 screwdriver on the right side panel (F) of cabinet.




NOTE:

Keep four screws used to attach the right side panel and cabinet.

ASSEMBLY


STEP 3: REMOVE CHEST

- Carefully place the cabinet to its upright position on a level surface.
- Open the cabinet door, then take out the EPE pearl cotton environmental protection packing material.
- Close the cabinet door, and slowly take the chest (A) out from the cabinet (D) as the following picture shows.



STEP 4: RIGHT SIDE PANEL ASSEMBLY

- Carefully put the cabinet (D) to its left side position as the below picture shows.
- Attach the right side panel (F) to the cabinet (D) with four screws using a PH2 screwdriver.




ASSEMBLY

STEP 5: CASTER ASSEMBLY

- Lay the cabinet on its back.
- Insert two swivel caster (G) and two swivel caster with brake (H) to bottom of cabinet.


i NOTE:

The cabinet handle (I) must be attached to the same side where the swivel casters with brake (H) will be installed.



STEP 6: HANDLE ASSEMBLY


- Carefully put the cabinet (D) to its upright position.
- Step down the levers to lock the swivel casters with brakes (H).
- Insert the cabinet handle (I) into the holes on the cabinet (D), then attach to the cabinet with four M6 x 16mm bolts (AA) and washers (BB) by a 10mm wrench included.



ASSEMBLY


STEP 7: TRAY ASSEMBLY

- Position the tool tray (E) over the holes on the cabinet (A) as the picture shows.
- Attach with two M6 x 16mm bolts (AA) and washers (BB) and tighten with a supplied 10mm wrench.



STEP 8: UNLOCK AND LOCK THE DRAWERS OF THE TOOL CHEST

- To lock three drawers, open the chest cover and insert the locking bar (B).
- To unlock three drawers, open the chest cover and take out the locking bar (B).



CLEANING AND MAINTENANCE

- Wipe with a dry cloth as needed to remove dust and dirt.
- Avoid contact with corrosive substances like acids, alkaline or similar substances.

CUSTOMER SERVICE

If you are having difficulty in using this product and require support, please send an email to service@greatstartools.com or call 877-876-7562.