


WORKPRO

OPERATOR'S MANUAL 48" x 24" ADJUSTABLE HEIGHT WORKBENCH



USE PRECAUTION
For your safety



INSTRUCTION
MANUAL
Read and understand



EYE PROTECTION
Must be worn



PROTECTIVE GLOVES
Must be worn when
assembly



CAUTION: Read and follow all Safety Rules and Operating instructions before first use of this product.

NOTE: Ensure all components are present. If any components are missing, do not proceed with assembly. Please send an email to service@greatstartools.com or call 877- 876 - 7562.

SAVE THIS MANUAL FOR FUTURE REFERENCE



Distributed by:
Hangzhou GreatStar Industrial Co., Ltd.
No.35 Jiuhuan Road, Shangcheng District,
Hangzhou 310019, China
www.greatstartools.com
MADE IN CHINA

TABLE OF CONTENTS

Safety Information -----	3
Specifications -----	4
Package Contents -----	5
Assembly -----	6-7
Operation -----	8
Care and Cleaning -----	8
Customer Service -----	8

FOR YOUR SAFETY: CAREFULLY READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USE.

SAFETY INFORMATION

To reduce the risk of serious injury, read and follow the safety instructions below before assembling and using this product.

1. THIS PRODUCT IS INTENDED FOR INDOOR USE ONLY.

2. THIS PRODUCT IS NOT DESIGNED FOR COMMERCIAL NOR INDUSTRIAL USAGE.

CAUTION!

- Check all nuts and bolts periodically for tightness. When required, tighten them.
- DO NOT leave children unattended near this product.
- Keep the product on level surfaces. The product could become unstable and it may tip over if stored or moved on an uneven surface, which may cause personal injury, death or product damage.
- DO NOT alter this product in any manner. For example, do not weld external bar locks or attach electrical equipment. This may cause product damage or personal injury.
- Any assembly or maintenance of the product must be carried out by adults only.
- Use at least two people to move, assemble or install this workbench. Failure to do so can result in personal injury or product damage.
- DO NOT stand on the product and do not use it as scaffold.

3. EXTENSION CORD:

- Only use a three-wire extension cord with all three prongs intact. Never remove the round grounding prong.
- Extension cord must be connected to a 125Volt GFCI protected outlet with proper ground. If GFCI outlet is not available, use an extension cord with GFCI protection built in.
- Check the insulation and plugs of extension cord before using. Do NOT use cord if it is worn or damaged.
- Do NOT overload extension cord.
- Do NOT connect extension cord to outlet that also supplies critical safety equipment with power.

- Make sure the power supply cord is unplugged before any servicing or cleaning.

4. ELECTRICAL SHOCK HAZARD:

- Do not plug cord into outlet with wet hands.
- Do not use this workbench near a bathtub, a shower, or a swimming pool.
- Workbench plugs must match the outlet.
- Never modify the plug in any way.
- Unmodified plugs and matching outlets will reduce the risk of electric shock.
- Avoid body contact with earthed or grounded surfaces. There is an increased risk of electric shock if your body is earthed or grounded.

5. THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.

Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference, and
- 2) This device must accept any interference received, including interference that may cause undesired operation.

“Please note that changes or modifications of this product are not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.”

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

SPECIFICATIONS

Maximum load of workbench	2000lbs
Adjust height of workbench	26 ^{5/8} "-36 ^{1/2} "
The length x width of table	48" x 24"
Maximum output of power strip	1875 watts
USB Current	5V DC, 2.1A MAX

PACKAGE CONTENTS

Ensure all components are present. If any components are missing, do not proceed with assembly. Please send an email to service@greatstartools.com or call 877-876-7562.



PART	DESCRIPTION	QTY
A	Leveling Foot	4
B	Right Leg	1
C	Front Beam	1
D	Rear Beam	1
E	Wood Top	1
F	Power Strip	1

PART	DESCRIPTION	QTY
G	Left Leg	1
AA	#5x20 mm Screw	22+ 2(Spare)
BB	M8x15 mm Screw	12+ 2(Spare)
CC	M6x10 mm Truss Head Screw	1+ 1(Spare)
DD	2" Hook	5
EE	4" Hook	5

TOOLS REQUIRED (NOT INCLUDED):



Protective Gloves



PH2
Screwdriver



17mm Wrench



5mm Hex Key



Power Drill With
Long Screwdriver Bit

ASSEMBLY



NOTE:

Do not tighten all the screws before the STEP 3.





NOTE:

Assemble on a flat surface. A piece of cardboard is recommended to keep the product from being scratched during assembly.

STEP 1: INSTALL THE LEVELING FOOT


- Screw four leveling feet (A) into the holes in the bottom of the legs (B&G) clockwise.



PART	A	B	G
DESCRIPTION	Leveling Foot	Right Leg	Left Leg
QTY	4	1	1

STEP 2: ATTACH THE BEAMS

- Attach the rear beam (D) to the legs (B&G) and tighten to desired tightness with 4pcs M8x15mm screws (BB) using a 5mm hex key.
- Repeat the above step to install the front beam (C) to the legs (B&G) with 8pcs M8x15mm screws (BB).



PART	B	C	D	G	BB
DESCRIPTION	Right Leg	Front Beam	Rear Beam	Left Leg	M8x15mm Screw
QTY	1	1	1	1	12


ASSEMBLY

STEP 3: ATTACH THE WOOD TOP

- Place wood top (E) facing down on a flat surface with positioning labels facing upward. Use soft moving blanket or packaging material to protect the top during assembly.
- Align the legs with the corresponding positioning labels and install the legs (B&G) & beams (C&D) on the wood top (E) using 22 pcs #5x20mm screws (AA).

i NOTE:

- Since the wood is hard, a power with leg screw driver bit is recommend when assembling
- We recommend that the leg with power strip is assembled close to side of the brand "WORKPRO". However, you can adjust the assembly position of the leg with power strip as you need.




Align legs with positioning labels

PART	E	AA
DESCRIPTION	Wood Top	#5x20 mm Screw
QTY	1	22

STEP 4: INSTALL THE POWER STRIP

- Using two or more people, carefully stand the workbench to its upright position.
- Slide the power strip (F) the right leg (B) and push it to the left, the tighten with a M6x10mm truss head screw (CC) by a PH2 screwdriver.



Push the power strip to the left

PART	F	CC
DESCRIPTION	Power Strip	M6x10mm Truss Head Screw
QTY	1	1

OPERATION


ADJUST THE HEIGHT OF WORKBENCH

- Adjust the position of screws by the 5mm hex key to acquire suitable height.




NOTE:

The adjustable height range of the workbench is 26⁵/₈" - 36¹/₂".



ADJUST THE LEVEL OF WORKBENCH

- Easily leveled with its height-adjustable leg feet. Rotate the foot to the suitable position and lock with the corresponding nuts by a 17mm combination spanner.



CARE AND CLEANING

- Check all nuts and bolts periodically for tightness. When required tighten them.
- Periodically clean the surface of the workbench with a soft damp rag and dry it with a dry one.
- Do not allow chemicals, water, or other substances to remain on the wood top for extended periods of time to reduce the risk of damage to the wood.

CUSTOMER SERVICE

If you are having difficulty in using this product and require support, please send an email to service@great-startools.com or call 877-876-7562.